



□□□□

Eaton 168598

Eaton Moeller series NZM - Molded Case Circuit Breaker. Link kit, +insulating plates +heat sinks, 4p, /1p, 3

□□□□

PRODUCT NAME	Eaton Moeller series NZM link kit
CATALOG NUMBER	168598
PRODUCT LENGTH/DEPTH	215 mm
PRODUCT HEIGHT	154 mm
PRODUCT WIDTH	112 mm
PRODUCT WEIGHT	2.06 kg
COMPLIANCES	IEC RoHS conform



Powering Business Worldwide

USED WITH	N3-4-...-S1(-S15)-DC
AMPERAGE RATING	534 A (40 °C), 451 A (65 °C)
10.10 TEMPERATURE RISE	The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.
10.11 SHORT-CIRCUIT RATING	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.12 ELECTROMAGNETIC COMPATIBILITY	Is the panel builder's responsibility. The specifications for the switchgear must be observed.
10.13 MECHANICAL FUNCTION	The device meets the requirements, provided the information in the instruction leaflet (IL) is observed.
10.2.2 CORROSION RESISTANCE	Meets the product standard's requirements.
10.2.3.1 VERIFICATION OF THERMAL STABILITY OF ENCLOSURES	Meets the product standard's requirements.
10.2.3.2 VERIFICATION OF RESISTANCE OF INSULATING MATERIALS TO NORMAL HEAT	Meets the product standard's requirements.
10.2.3.3 RESIST. OF INSUL. MAT. TO ABNORMAL HEAT/FIRE BY INTERNAL ELECT. EFFECTS	Meets the product standard's requirements.
10.2.4 RESISTANCE TO ULTRA-VIOLET (UV) RADIATION	Meets the product standard's requirements.
10.2.5 LIFTING	Does not apply, since the entire switchgear needs to be evaluated.
10.2.6 MECHANICAL IMPACT	Does not apply, since the entire switchgear needs to be evaluated.
10.2.7 INSCRIPTIONS	Meets the product standard's requirements.
10.3 DEGREE OF PROTECTION OF ASSEMBLIES	Does not apply, since the entire switchgear needs to be evaluated.
10.4 CLEARANCES AND	Meets the product

□□□□□	eaton-terminal-jumpers-kit-n3-dc-switch-disconnector-il01208004z.pdf
□□	eaton-circuit-breaker-nzm-jumper-kit-dimensions-003.eps

