

Eaton 170M3138

Eaton Bussmann series high speed square body fuse, 1250V (IEC), 1300V (UL), 50A, 100 kAIC, Top fuse status indicator, Fuse, Class aR, DIN 43 620

0000	
PRODUCT NAME	Eaton Bussmann series high speed square body fuse
CATALOG NUMBER	170M3138
UPC	051712254939
PRODUCT LENGTH/DEPTH	305 mm
PRODUCT HEIGHT	65 mm
PRODUCT WIDTH	145 mm
PRODUCT WEIGHT	0.071 g
COMPLIANCES	CE Marked RoHS Compliant
CERTIFICATIONS	IEC Rated UL Recognized



AMPERAGE RATING	50 A
BREAKING CAPACITY	100 kA
FUSE INDICATOR	Top fuse status indicator
INSULATED METAL GRIPPING LUGS (IMGL)	No
UTILIZATION CATEGORY	aR (accompanied semiconductor protection)
VOLTAGE TYPE	AC
FUSE SIZE	1*
RATED VOLTAGE AC	1250 V
CENTER-TO-CENTER DISTANCE OF CONNECTIONS	107 mm
CURRENT TYPE	AC
MOUNTING DIMENSION	M10
CLASS	Class aR
CLEARING (I2T)	815 at 1000 V, 1100 at 1250 V
WATT LOSSES	15 W
FUSE SHAPE	Square body, slotted center bolted tags
PRE ARC (I2T)	135
COLOR	None
INTERRUPT RATING	100 kAIC
CONSTRUCTION SIZE	Other
PACKAGING TYPE	Standard
VOLTAGE RATING	1250 V (IEC), 1300 V (UL)
TYPE	Fuse
APPLICATION	Semiconductor, DC Common bus, DC drives, power converters/rectifiers
FUSE TYPE	DIN 43653 /110 Visual indicator Bolted tag
FUSE SYSTEM (ACCORDING TO IEC 60269)	Other

DECLARATIONS OF CONFORMITY	eaton-high-speed-square- pody-fuse-declaration-of- conformity- uk250914en.pdf

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
ПП:	



Eaton House 30 Pembroke Road Dublin 4, □□□ Eaton.com

latest product and support information.







Follow us on social media to get the



