

## Eaton 291482

Eaton Moeller series xPole - Busbar. EV busbars 2Ph., 4.5HP, for auxiliary contact unit, 16

PRODUCT NAME	Eaton Moeller series busbar
CATALOG NUMBER	291482
PRODUCT LENGTH/DEPTH	33 mm
PRODUCT HEIGHT	7.8 mm
PRODUCT WIDTH	76 mm
PRODUCT WEIGHT	0.031 kg
COMPLIANCES	RoHS conform



USED WITH	Busbar EVG
TYPE	<ul style="list-style-type: none"><li>• Busbar</li><li>• EVG</li></ul>
FEATURES	Insulated
ACCESSORY/SPARE PART TYPE	Busbar for residual current circuit breakers Busbar for combined residual current/power circuit breaker Busbar for miniature circuit breaker
ELECTRIC CONNECTION TYPE	Fork
RATED SURGE VOLTAGE	4 kV
RATED UNINTERRUPTED CURRENT (IU)	80 A
SUITABLE FOR NUMBER OF DEVICES	2
NUMBER OF POLES	Two-pole
COLOR	Other
RATED SHORT-TIME WITHSTAND CURRENT (ICW)	0 kA
CROSS SECTION	16 mm <sup>2</sup>
NUMBER OF MODULAR SPACINGS	4
NUMBER OF PHASES	2
PITCH DIMENSIONS	0 mm
RATED OPERATIONAL VOLTAGE (UE) - MAX	415 V
RATED CONDITIONAL SHORT-CIRCUIT CURRENT (IQ)	25 kA
FUNCTIONS	Busbar
SUITABLE FOR	Devices with auxiliary switch 2 devices



[eaton-busbar-3d-drawing.jpg](#)



PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
:



Eaton House  
30 Pembroke Road  
Dublin 4,  
Eaton.com  
© 2025

Follow us on social media to get the latest product and support information.

