



□□□□□

Eaton 5PX3000HRTNG2

Eaton 5PX G2 UPS, 2U, 3000 VA, 3000 W, L6-20 input, Outputs: (2) C19, (8) C13, 208V, Network card

□□□□

PRODUCT NAME	Eaton 5PX G2 UPS
CATALOG NUMBER	5PX3000HRTNG2
UPC	743172105738
PRODUCT LENGTH/DEPTH	23.7 in
PRODUCT HEIGHT	3.4 in
PRODUCT WIDTH	17.2 in
PRODUCT WEIGHT	69.9 lb
COMPLIANCES	CE Marked REACH
CERTIFICATIONS	cULus RoHS ENERGY STAR certified IEC 62040-1

□□□□	
SPECIAL FEATURES	Gigabit Network Card (NETWORK-M2) card is included and pre-installed. UPS ship-in-rack option for integration into packaged deployments simplifying set up and getting you online quicker (available with the RK4PRS 4-post rail kit)
	TOPOLOGYLine-interactive
	RACK SIZE2U
	COLORBlack
	VA RATING3000 VA
PACKAGE CONTENTS	WATTAGE3000 W
	• 3000VA 3000W 208V 5PX G2 Line-Interactive UPS with 10 Outlets • NETWORK-M2 Gigabit network card • Detachable C19 to NEMA L6-20P power cord, 6 ft. (1.8 m) • USB cable • RS-232 cable • Rack-mounting hardware • Tower support stands • Safety guide • Quick Start Guide
	INPUT CONNECTIONL6-20P
	INPUT CORD LENGTH6 ft detachable
	NOMINAL FREQUENCY50/60 Hz
BATTERY MANAGEMENT	INPUT POWER FACTOR1
	RECEPTACLE(2) C19, (8) C13
	RUNTIME GRAPH\$row.attributeValue.cdata
	ABM technology (3-stage charging extends battery service life by 50% and provides advance warning for battery replacement)
	BATTERY REPLACEMENTUser replaceable
EXTENDED BATTERY CAPABILITY	BATTERY TYPEValve Regulated Lead Acid (VRLA)
	Add up to 4 extended battery modules (EBM).

Part number
5PXEBM72RTG2

**STANDARD FACTORY
WARRANTY**

- 3-year factory warranty with registration
- -3 years
- -Parts, electronics and batteries coverage
- -Standard ground shipping
- -Technical support

**EXTENDED SERVICE
PLANS**

- ADVANCED DEPOT EXCHANGE
 - -5-YEAR DEPOT REPAIR: 5SW5Y-3000UC
 - -Expedited parts coverage for 5 years
 - -Parts, electronics and UPS batteries coverage
 - -Next business day shipping
 - -Technical support
 -
 - ON-SITE 24X7, NEXT DAY RESPONSE
 - 2 YEAR UPGRADE: WUN72XXX-6009UC
 - -On-site expedited parts and labor coverage for first 2 years
 - -Parts, electronics and UPS batteries coverage
 - -Eaton on-site labor coverage
 - -24x7 coverage, next day response
 - -Next day shipping
 - -Technical support
 -
 - 3 YEAR FLEX PLAN: FLN73XXX-6009UC
 - -On-site parts and labor coverage for years 3 to 5
 - -Parts, electronics and UPS batteries coverage
 - -24x7 on-site labor
-

	coverage, next day response -Next day shipping -Technical support
EXPANSION SLOTS	One slot, Gigabit Network Card (NETWORK-M3) is included
SOFTWARE COMPATIBILITY	Brightlayer Data Centers suite
USER INTERFACE	LCD graphical display
BTU RATING	Online: 208, Battery: 1136
NOMINAL OUTPUT VOLTAGE	200V 208V 220V 230V 240V
EFFICIENCY AT MAX. LOAD	98%
OUTPUT CAPACITY (WATTS)	3000
INPUT NOMINAL VOLTAGE	208 VAC
HIGH AVAILABILITY UPS FEATURES	Automatic voltage regulation (AVR) Hot swappable batteries Surge/noise protection Pure sine wave output
NOMINAL INPUT VOLTAGE SUPPORTED	208 VAC

□□□□:
□□□□:
□□□:
□□: