

Eaton 9PX3000IRTM

9PX UPS 3000 VA 3000 W C20
(8) C13 (2) C19 / 3U

	9PX UPS
	9PX3000IRTM
UPC	743172081667
/	48.5 cm
	13 cm
	44 cm
	27.4 kg
	CE FCC 15 B TUV CISPR22 B CSA 22.2 cULus Listed
	ENERGY STAR DNV GL Certified EAC IEC/EN 62040-1 UL 1778 IEC/EN 62040-2 CE



-
-
-
- VA=W UPS
-
-
-
- UPS
-
- VMware
- Hyper-V Citrix
- Xen Redhat
-
- DNV-GL
-

	/
	/
	3U
	482.6 mm 19
	/
	3000 VA
	3000 W

- UPS
-
- (2) IEC-IEC
- USB
-
- (2) 19
- (2)
- (2)
-
-
-

--

-	70 Hz
-	40 Hz
	C20
	1.8m
	230V (200/208/220/230/240V)

	50/60 Hz
	40-70 Hz
	>0.99
	(8) C13 (2) C19
C13	8
C19	2

	230V
	230V (200/208/220/230/240V)
	1
	AC
	\$row.attributeValue.cdata

- ABM
-
-
-

	(EBM)
--	-------

	12 V/9 Ah

	9.5 min
--	---------

- USB HID
- (RS232)
- 1 /
- 1
-
- 3 1
- DB9

	1
--	---

--	--

	LCD
--	-----

--	--

	3000 m
BTU	614
	1 <40 dB

	0-96%
	0°C 40°C 32°F 104°F
-	276 V
-	100 V
-	240 V
-	200 V
-	60 Hz
-	50 Hz
	6
	94
	98
	176-276 V 100-276 V
	4
	50/60 Hz
	1
	200/208/220/230/240 V +/- 1%
	1
	1
	3
-	3

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

:

