



□□□□

# Eaton

## BA80AA306A01100000

Eaton 93PS UPS, 8 kVA, 8 kW scalable to 20 kW, 1 x 15 kW power module, 1 string of 9 Ah batteries, Internal Maintenance Bypass, Network card included

□□□□

<b>PRODUCT NAME</b>	Eaton 91PS and 93PS UPS
<b>CATALOG NUMBER</b>	BA80AA306A01100000
<b>PRODUCT LENGTH/DEPTH</b>	33.5 cm
<b>PRODUCT HEIGHT</b>	130 cm
<b>PRODUCT WIDTH</b>	75 cm
<b>PRODUCT WEIGHT</b>	190 kg
<b>COMPLIANCES</b>	CE Marked RoHS Compliant CB
<b>CERTIFICATIONS</b>	IEC/EN 62040-2 IEC/EN 62040-1 EN 62040-3 Manufactured in a plant certified to ISO 9001 and ISO 14001 management system standards



Powering Business Worldwide



<b>AUDIBLE ALARMS</b>	Yes
<b>AUTO SHUTDOWN FUNCTION</b>	Yes
<b>INTERNAL BATTERY INCLUDED</b>	Yes
<b>BATTERY CHARGER TYPE</b>	ABM technology
<b>EXTERNAL BATTERY CONNECTION</b>	Hardwired
<b>COLOR</b>	Black
<b>CONSTRUCTION TYPE</b>	Free standing model
<b>EFFICIENCY (ECO-MODE)</b>	99 %
<b>IMPROVED EFFICIENCY MODE</b>	ESS with VMMS
<b>FEED TYPE</b>	AC
<b>FORM FACTOR</b>	Tower
<b>HOT-SWAPPABLE POWER MODULES</b>	No
<b>INPUT CONNECTION</b>	Fixed connection
<b>INPUT NOMINAL VOLTAGE</b>	400V default (380/400/415V)
<b>NUMBER OF OUTPUT CONNECTIONS FIXED CONNECTION</b>	1
<b>OUTPUT FREQUENCY</b>	50 Hz (50/60 Hz programmable)
<b>OUTPUT POWER FACTOR</b>	1
<b>OVERALL EFFICIENCY</b>	96 %
<b>PACKAGE CONTENTS</b>	<ul style="list-style-type: none"><li>• UPS</li><li>• Quickstart guide</li><li>• Safety instructions</li></ul>
<b>PARALLELEABLE</b>	Parallel for capacity and redundancy
<b>PHASE (INPUT)</b>	3
<b>PHASE (OUTPUT)</b>	3
<b>POTENTIAL FREE SWITCH CONTACT</b>	Yes
<b>SNMP</b>	Yes
<b>TOPOLOGY</b>	Online
<b>TYPE OF INTERFACE</b>	Other
<b>INTERNAL MAINTENANCE BYPASS</b>	Yes
<b>KVA RATING</b>	8 kVA
<b>WATTAGE</b>	8 kW
<b>APPLICATION</b>	Data center/ facility/IT



	<a href="#">eaton-small-ups-pep-eato-00480-v0101-en.pdf</a>
PEP ECO-PASSPORT	<a href="#">eaton-small-ups-0-100kVA-pep-eato-00076-v0201-en.pdf</a>

---

