



Eaton BP48V60RT3UTAA

TAA-Compliant External 48V 3U Battery Pack
for select Tripp Lite UPS systems
(BP48V60RT3UTAA-Compliant)

□□□□

PRODUCT NAME	Eaton Tripp Lite series battery pack
CATALOG NUMBER	BP48V60RT3UTAA
UPC	037332152824
PRODUCT LENGTH/DEPTH	33 in
PRODUCT HEIGHT	11 in
PRODUCT WIDTH	23 in
PRODUCT WEIGHT	163.14 lb
COMPLIANCES	CE Marked RoHS TAA Compliant

RACK SIZE

3U

PACKAGE CONTENTS

- BP48V60RT3UTAA TAA Compliant external battery pack with attached DC cabling
- 4 post compatible mounting hardware
- Owner's manual

PRODUCT FEATURES

Expandable Runtime

PRODUCT HIGHLIGHTS

Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases
 Included daisychain connector supports the addition of multiple compatible external battery packs
 Extends the runtime of expandable 48V DC UPS Systems
 Options for 2-post rack-mount and tower installation available
 2-year limited warranty (U.S. and Canada -- warranties may vary by country)
 Supports 3U rack-mount installation; 4-post installation accessories included

TAA COMPLIANCE

Yes

BATTERY RUNTIME

Expandable Runtime

EXPANDABLE RUNTIME DESCRIPTION

Blue 175 amp female connector for additional battery packs

TYPICAL BATTERY LIFE

4-6 years typical (North America)

DC VOLTAGE

48

MATERIAL OF CONSTRUCTION

Steel

MINIMUM REQUIRED RACK DEPTH

28 in

OPERATING TEMPERATURE

32-104 degrees F / 0-40 degrees C

